# **libdynamic Documentation**

Release 1.1.0

**Fredrik Widlund** 

May 20, 2021

# Contents

1	Introduction	3
2	Contents         2.1       Getting Started         2.2       API Reference         2.3       Changes in libdynamic	5 . 5 . 6 . 12
3	Indices and Tables	15
In	adex	17

This is the documentation for libdynamic 1.1.0, last updated May 20, 2021.

# CHAPTER 1

# Introduction

libdynamic is a C library for various dynamic container types. Its main features and design principles are:

- High performance/low overhead
- Simplicity
- Uniformity
- Flexibility

Where appropriate, containers are modelled roughly after the stdc++ equivalents.

libdynamic is licensed under the MIT license; see LICENSE in the source distribution for details.

# CHAPTER 2

## Contents

## 2.1 Getting Started

#### 2.1.1 Compiling and installing libdynamic

The libdynamic source is available at https://github.com/fredrikwidlund/libdynamic/releases/download/v1.1.0/ libdynamic-1.1.0.tar.gz

Unpack the source tarball and change to the source directory:

```
$ tar xfz libdynamic-1.1.0.tar.gz
$ cd libdynamic-1.1.0
```

The source uses GNU Autotools (autoconf, automake, libtool), so compiling and installing is extremely simple:

```
$ ./configure
$ make
$ make install
```

To run the test suite which requires cmocka and valgrind, invoke:

```
$ make check
```

To change the destination directory (/usr/local by default), use the --prefix=DIR argument to ./ configure. See ./configure --help for the list of all possible configuration options.

The command make check runs the test suite distributed with libdynamic. This step is not strictly necessary, but it may find possible problems that libdynamic has on your platform. If any problems are found, please report them.

If you obtained the source from a Git repository (or any other source control system), there's no ./configure script as it's not kept in version control. To create the script, the build system needs to be bootstrapped. There are many ways to do this, but the easiest one is to use the supplied autogen.sh script:

```
$ ./autogen.sh
```

### 2.1.2 Building the documentation

(This subsection describes how to build the HTML documentation you are currently reading, so it can be safely skipped.)

Documentation is in the docs/ subdirectory. It's written in reStructuredText with Sphinx annotations. To generate the HTML documentation, invoke:

\$ make html

and point your browser to doc/\_build/html/index.html. Sphinx 1.0 or newer is required to generate the documentation.

### 2.1.3 Compiling programs that use libdynamic

libdynamic headers files are included through one C header file, dynamic.h, so it's enough to put the line

#include <dynamic.h>

in the beginning of every source file that uses libdynamic.

There's also just one library to link with, libdynamic. libdynamic is built as a static library and should be compiled with LTO (link time optimization) to provide the best performance. Compile and link the program as follows:

\$ cc -o prog prog.c -flto -fuse-linker-plugin -ldynamic

Use of pkg-config is supported and recommended:

\$ cc -o prog prog.c `pkg-config --cflags --libs libdynamic`

## 2.2 API Reference

#### 2.2.1 Library Version

The libdynamic version uses Semantic Versioning and is of the form A.B.C, where A is the major version, B is the minor version and C is the patch version.

When a new release only fixes bugs and doesn't add new features or functionality, the patch version is incremented. When new features are added in a backwards compatible way, the minor version is incremented and the micro version is set to zero. When there are backwards incompatible changes, the major version is incremented and others are set to zero.

The following preprocessor constants specify the current version of the library:

```
LIBDYNAMIC_VERSION_MAJOR, LIBDYNAMIC_VERSION_MINOR, LIBDYNAMIC_VERSION_PATCH
Integers specifying the major, minor and patch versions, respectively.
```

LIBDYNAMIC\_VERSION A string representation of the current version, e.g. "1.2.1"

#### 2.2.2 Design

#### **Bounds checking**

Since libdynamic is a low-level and high-performance library, bounds checking is left for the user to implement when and where needed.

#### **Memory allocation**

Since gracefully handling memory allocation errors is difficult at best and makes code difficult to optimize libdynamic will exit on memory allocation errors.

#### 2.2.3 Buffer

A buffer object represents raw memory that is dynamically increased when data is inserted. The amount of memory actually allocated will grow exponentially to allow for amortized constant time appends.

#### buffer

This data structure represents the buffer object.

```
void buffer_construct (buffer *buffer)
Constructs an empty buffer.
```

- void **buffer\_destruct** (*buffer \*buffer*) Releases all resources used by the *buffer*.
- size\_t **buffer\_size** (*buffer \*buffer*) Returns the size of the memory contained in the *buffer*.
- size\_t **buffer\_capacity** (*buffer \*buffer*) Returns the amount of memory allocated for the *buffer*.
- void **buffer\_reserve** (*buffer \*buffer*, size\_t *size*) Ensure that the *buffer* capacity is at least *size* bytes large.
- void **buffer\_resize** (*buffer \*buffer*, size\_t *size*) Set the buffer size of *buffer* to be *size*. If the buffer is enlarged the added buffer data is undefined.
- void **buffer\_compact** (*buffer \*buffer*) Reduces the amount of allocated memory in the *buffer* to match the current buffer size.
- void **buffer\_insert** (*buffer \*buffer*, size\_t *position*, void \**data*, size\_t *size*) Inserts *data* with a given *size* into the given *position* of the *buffer*
- void buffer\_insert\_fill (buffer \*buffer, size\_t postion, size\_t count, void \*data, size\_t size)
  Inserts count copies of data with a given size into the given position of the buffer

```
void buffer_erase (buffer *buffer, size_t position, size_t size)
Removes size bytes from the data in the buffer at the given position.
```

- void **buffer\_clear** (*buffer \*buffer*) Clears the *buffer* of all content.
- void **\*buffer\_data** (*buffer \*buffer*) Returns a pointer the the content of the *buffer*.

#### 2.2.4 List

Lists are sequence containers that allow constant time insert and erase operations anywhere within the sequence, and iteration in both directions.

List containers are implemented as doubly-linked lists; Doubly linked lists can store each of the elements they contain in different and unrelated storage locations. The ordering is kept internally by the association to each element of a link to the element preceding it and a link to the element following it.

Lists are modelled roughtly after the C++ list counterpart.

#### list

This data structure represents the list object.

```
void list_release_callback (void *)
```

This type defines a function reference to a user defined callback that release resources associated with an object

int list\_compare\_callback (void \*first, void \*second)

This type defines a function reference to a user defined callback that compares the *first* and the *second* object, and returns a negative value if *first* is smaller, a positive value if *first* is larger, and 0 if they are the same.

- void **list\_construct** (*list \*list*) Constructs an empty *list*.
- void list\_destruct (list \*list, list\_release\_callback \*release)

Releases all resources used by the *list*. If object has resources that needs to be released the *release* callback optionally can be defined.

- void \*list\_next (void \*object)
  Returns a pointer to the next object after object.
- void \*list\_previous (void \*object)
  Returns a pointer to the previous object before object.
- int **list\_empty** (*list \*list*) Returns 1 if the *list* is empty.
- void \*list\_front (*list \*list*) Returns a pointer to the first object in *list*.
- void \*list\_back (*list \*list*) Returns a pointer to the last object in *list*.
- void **\*list\_end** (*list \*list*) Returns a pointer to the watch dog object at the end of the *list*.
- void \*list\_push\_front (list \*list, void \*object, size\_t size)
  Copies the contents of object of size size to the front of the list.
- void \*list\_push\_back (list \*list, void \*object, size\_t size)
  Copies the contents of object of size size to the back of the list.
- void list\_insert (void \*list\_object, void \*object, size\_t size)
  Copies the contents of object of size size before list\_object.
- void list\_erase (void \*object, list\_release\_callback \*release)
  Deletes object from the list. If the object has resources that needs to be released the release callback optionally
  can be defined.
- void list\_clear (list \*list, list\_release\_callback \*release)
  Deletes all objects from list. If the objects has resources that needs to be released the release callback optionally
  can be defined.
- void \*list\_find (list \*list, list\_compare\_callback \*compare, void \*object)
  Finds an object in list where the contents are the same as for object. The callback function compare needs to be
  defined accordingly.

#### 2.2.5 Vector

Vectors are sequence containers representing arrays that can change in size. Vectors are modelled roughtly after the C++ vector counterpart.

Just like arrays, vectors use contiguous storage locations for their elements, which means that their elements can also be accessed using offsets on regular pointers to its elements, and just as efficiently as in arrays. But unlike arrays, their size can change dynamically, with their storage being handled automatically by the container.

Internally, vectors use a dynamically allocated array to store their elements. This array may need to be reallocated in order to grow in size when new elements are inserted, which implies allocating a new array and moving all elements to it. This is a relatively expensive task in terms of processing time, and thus, vectors do not reallocate each time an element is added to the container.

Instead, vector containers may allocate some extra storage to accommodate for possible growth, and thus the container may have an actual capacity greater than the storage strictly needed to contain its elements (i.e., its size). Reallocations only happen at logarithmically growing intervals of size so that the insertion of individual elements at the end of the vector can be provided with amortized constant time complexity.

Therefore, compared to arrays, vectors consume more memory in exchange for the ability to manage storage and grow dynamically in an efficient way.

#### vector

This data structure represents the vector object.

void vector\_release\_callback (void \*)

This type defines a function reference to a user defined callback that release resources associated with an object

void vector\_construct (vector \*vector, size\_t size)

Constructs an empty vector for elements of the given size.

void **vector\_destruct** (*vector \*vector, vector\_release\_callback \*release*) Releases all resources used by the *vector*, optionally calling *release* to release resources associated with each

object.

size\_t vector\_size (vector \*vector)

Returns the size of the memory contained in the vector.

- size\_t **vector\_capacity** (*vector* \**vector*) Returns the amount of memory allocated for the *vector*.
- int **vector\_empty** (*vector \*vector*) Returns 1 if the *vector* contains no elements.
- void vector\_reserve (vector \*vector, size\_t size)
  Ensure that the vector capacity is at least size elements.
- void vector\_shrink\_to\_fit (vector \*vector)
   Reduces the amount of allocated memory in the vector to match the current vector size.
- void \*vector\_at (vector \*vector, size\_t position)
  Returns a pointer to the element in the given position in the vector.
- void \*vector\_front (vector \*vector)
  Returns a pointer to the first element in the vector.
- void \*vector\_back (vector \*vector) Returns a pointer to the last element in the vector.

```
void *vector_data (vector *vector)
Returns a direct pointer to the memory array used internally by the vector to store its owned elements.
```

Because elements in the vector are guaranteed to be stored in contiguous storage locations in the same order as represented by the vector, the pointer retrieved can be offset to access any element in the array.

- void vector\_insert (vector \*vector, size\_t position, void \*object)
  Inserts the object into the vector at the given position.
- void vector\_insert\_range (vector \*vector, size\_t position, void \*first, void \*last)
  Inserts a range of sequential objects, specified by giving the first and last object, into the vector at the given
  position.
- void vector\_insert\_fill (vector \*vector, size\_t position, size\_t count, void \*object)
  Inserts count copies of the object into the vector at the given position.
- vector\_erase (vector \*vector, size\_t position, vector\_release\_callback \*release)
  Removes the element in the given position in the vector, optionally calling release to release resources associated
  with the object.
- vector\_erase\_range (vector \*vector, size\_t first, size\_t last, vector\_release\_callback \*release)
  Removes the elements from the vector starting at the given first position and ending before the last position,
  optionally calling release to release resources associated with each object.

The element at the *last* position is not removed.

```
void vector_push_back (vector *vector, void *object)
Appends the object to the end of the vector.
```

```
void vector_pop_back (vector *vector)
Removes the last element of the vector.
```

```
void vector_clear (vector *vector, vector_release_callback *release)
Clears the vector of all elements, optionally calling release to release resources associated with each object.
```

## 2.2.6 String

Strings are objects that represent sequences of characters. String objects are modelled roughly after the C++ string counterpart.

#### string

This data structure represents the string object.

```
void string_construct (string *string)
Constructs an empty string.
```

void **string\_destruct** (*string* \**string*) Releases all resources used by the *string*.

```
size_t string_length (string *string)
Returns the length of the string.
```

```
int string_empty (string *string)
Returns 1 if the string is empty.
```

void string\_reserve (string \*string, size\_t size)
Ensures that the allocated memory for the string is at least size bytes.

```
void string_shrink_to_fit (string *string)
```

Reduces the amount of allocated memory in the string to match the current string length.

- void **string\_insert** (*string \*string*, size\_t *position*, char \**characters*) Insert null-terminated *characters* into the *string* at the given *position*.
- void **string\_insert\_buffer** (*string \*string*, size\_t *position*, char \**data*, size\_t *size*) Insert *data* of the given *size* into the *string* at the given *position*.
- void **string\_prepend** (*string \*string*, char \**characters*) Prepend null-terminated *characters* onto the *string*.
- void **string\_append** (*string \*string*, char \**characters*) Append null-terminated *characters* onto the *string*.
- void string\_erase (string \*string, size\_t position, size\_t size)
  Remove size number of characters from the string at the given position.
- void **string\_replace** (*string \*string*, size\_t *position*, size\_t *size*, char \**characters*) Replace the portion of the *string* that begins at *position* and spans *size* positions with null-terminated *characters*.
- void **string\_replace\_all** (*string \*string*, char *\*find*, char *\*sub*) Replace all occurances of *find* with *sub*.
- void string\_clear (string \*string)
  Empty the string.
- char \***string\_data** (*string* \**string*) Return null-terminated characters corresponding to the content of *string*.
- ssize\_t string\_find (string \*string, char \*find, size\_t position)
  Find the first position of find in the string starting at the given position.

If no position can be found the function will return -1.

- int **string\_compare** (*string \*one, string \*two*) Returns 1 if string *one* and string *two* contain the same characters.
- void string\_split (string \*string, char \*delimiters, vector \*vector)
  Splits the string at any character specified in delimiters into a vector of strings. Empty parts are not included in
  the result. vector should point at allocated but uninitialized memory before being supplied to the function.

#### 2.2.7 Map

Maps are associative containers that store elements formed by the combination of a key value and a mapped value, and which allows for fast retrieval of individual elements based on their keys. Map objects are modelled roughly after the C++ unordered\_map counterpart.

For performance reasons some support callbacks need to be included in various calls rather than as map properties.

```
size_t map_hash_callback (void *element)
```

The *map\_hash\_callback* function should return a hash value of the key of the element.

```
int map_equal_callback (void *element1, void *element2)
```

The *map\_equal\_callback* function is called with a pointer to two elements, *element1* and *element2*, and should return 1 if the elements are equal.

void map\_set\_callback (void \*destination, void \*source)

The *map\_set\_callback* function is called with a pointer to a *source* element from where the element data is read, and a *destination* element where the data is written.

#### void map\_release\_callback (void \*element)

The *map\_release\_callback* function is called with a pointer a map element when it is removed from the map.

#### map

This data structure represents the map object.

- void map\_construct (map \*map, size\_t element\_size, void \*element\_empty, int (\*set)(void \*, void \*))
  Constructs an empty map, where each element containing the key and value is of the size element\_size, and
  element\_empty corresponds to an empty element.
- void map\_destruct (map \*map, int (\*equal)(void \*, void \*), void (\*release)(void \*))
  Releases all resources used by the map. The release callback can be NULL, and if so equal is not required.
- size\_t map\_size (*map* \**map*) Returns the number of elements in the *map*.

- void \*map\_element\_empty (map \*map) Returns the defined empty element of the map.
- void \*map\_at (map \*map, void \*element, size\_t (\*hash)(void \*), int (\*equal)(void \*, void \*))
  Returns a pointer to the element in the map that has a key that corrensponds to the key in element. If the key is
  not found a pointer to an empty element is returned.

Insert an *element* into the *map*. If the key of the element already exists in the map the element will be released.

- void map\_clear (map \*map, int (\*equal)(void \*, void \*), int (\*)(void \*set, void \*), void (\*release)(void \*))
  Clears the map of all the elements.

#### 2.2.8 Hash

A few hash function are included in libdynamic.

```
uint64_t hash_data (void *data, size_t size)
```

Returns a 64-bit hash of size bytes of memory pointed to by data. The library uses a C port of Google Farmhash.

```
uint64_t hash_string(char *string)
```

Returns a 64-bit hash of the null-terminated string.

## 2.3 Changes in libdynamic

#### 2.3.1 Version 1.0

Released 2017-01-03

• Initial release

#### 2.3.2 Version 1.1

Released 2017-12-17

- New features:
  - List type
  - More uniform interfaces

#### 2.3.3 Version 1.2

Released 2019-04-19

- New features:
  - Add maps (string map) and mapi (uint64\_t) abstractions
  - Refactor map interface

### 2.3.4 Version 1.3

Released 2019-09-02

- New features:
  - Add list splicing

### 2.3.5 Version 2.0

Released 2020-05-17

- New features:
  - Add event handling
  - Add worker pools

#### 2.3.6 Version 2.2

Released 2020-12-25

- New features:
  - Add counters
  - Add abort

#### 2.3.7 Version 2.3

Released 2021-01-02

- New features:
  - Pool refactoring

# chapter $\mathbf{3}$

Indices and Tables

- genindex
- search

## Index

# В

buffer (C type), 7 buffer\_capacity (C function), 7 buffer\_clear (C function), 7 buffer\_compact (C function), 7 buffer\_construct (C function), 7 buffer\_data (C function), 7 buffer\_destruct (C function), 7 buffer\_erase (C function), 7 buffer\_insert (C function), 7 buffer\_reserve (C function), 7 buffer\_resize (C function), 7 buffer\_resize (C function), 7 buffer\_resize (C function), 7 buffer\_size (C function), 7 buffer\_size (C function), 7

# Η

hash\_data(C function), 12 hash\_string(C function), 12

# L

```
list (C type), 8
list back (C function), 8
list clear (C function), 8
list_compare_callback (C type), 8
list construct (C function), 8
list_destruct (C function), 8
list_empty (C function), 8
list_end(C function), 8
list_erase (C function), 8
list_find (C function), 8
list_front (C function), 8
list_insert (C function), 8
list_next (C function), 8
list_previous (C function), 8
list_push_back (C function), 8
list_push_front (C function), 8
list_release_callback (C type), 8
```

## Μ

map (*C type*), 11

map\_at (C function), 12
map\_clear (C function), 12
map\_construct (C function), 12
map\_destruct (C function), 12
map\_element\_empty (C function), 12
map\_equal\_callback (C type), 11
map\_erase (C function), 12
map\_hash\_callback (C type), 11
map\_release\_callback (C type), 11
map\_reserve (C function), 12
map\_set\_callback (C type), 11
map\_size (C function), 12

# S

string (*C type*), 10 string\_append (C function), 11 string\_capacity (C function), 10 string\_clear (C function), 11 string\_compare (C function), 11 string construct (C function), 10 string\_data (C function), 11 string\_destruct (C function), 10 string\_empty (C function), 10 string\_erase (C function), 11 string find (C function), 11 string insert (C function), 10 string insert buffer (C function), 11 string\_length (C function), 10 string\_prepend (C function), 11 string\_replace (C function), 11 string\_replace\_all (C function), 11 string\_reserve (C function), 10 string\_shrink\_to\_fit (C function), 10 string\_split (C function), 11

## V

vector (C type), 9
vector\_at (C function), 9

vector\_back (C function), 9 vector\_capacity (*C function*), 9 vector\_clear (*C function*), 10 vector\_construct (*C function*), 9 vector\_data (C function), 9 vector\_destruct (*C function*), 9 vector\_empty (C function), 9 vector\_erase (*C function*), 10 vector\_erase\_range (C function), 10 vector\_front (*C function*), 9 vector\_insert (C function), 10 vector\_insert\_fill (C function), 10 vector\_insert\_range (C function), 10 vector\_pop\_back (C function), 10 vector\_push\_back (*C function*), 10 vector\_release\_callback (C type), 9 vector\_reserve (*C function*), 9 vector\_shrink\_to\_fit (C function), 9 vector\_size(C function), 9